# CUMULATIVE AUTHOR INDEX
## Annals of the Entomological Society of America
## Volume 84, 1991


**A**
Abou-Setta, M. M., 517
Achor, D. S., 272
Adler, P. H., 111
Alexander, B. A., 137
Alston, D. G., 488
Asquith, A., 283

**B**
Baker, S., 263
Ballard, D. K., 72
Beck, A. F., 590
Beckage, N. E., 72
Bell, W. J., 447
Bennett, C. A., 420
Bethke, J. A., 407
Bienefeld, K., 324
Bing, J. W., 549
Bland, R. G., 195
Bloem, S., 217
Bomar, C. R., 596
Bottorff, R. L., 201
Bouhssini, M. El,436
Brenner, G., 263
Brewer, G. J., 67
Brunner, J. F., 488
Buckingham, G. R., 420
Bullington, S. W., 590
Burkholder, W. E., 72

**C**
Callahan, P. S., 361
Cannings, R. A., 474
Carmi, E., 502
Chan, K. L., 61
Childers, C. C., 272, 517
Chow, Y. S., 294
Conlon, D., 447

**D**
Danforth, B. N., 537
Davis, D. W., 488
Debolt, J. W., 444
Deitz, L. L., 228
Dewalt, R. E., 239
Dietrich, C. H., 228
Dingle, H., 47
Dodge, K. L., 248

**E**
Edwards, O. R., 319
El-Singaby, N. R., 571

**F**
Fox, D., 263
French, F. E., 493, 522
Frey, D., 263
Fuester, R. W., 429

**G**
Gagne, R. J., 436
Galante, E., 190
Garcia, J. A., 555
Garrison, R. W., 474
Greenstone, M. H., 457
Grogan, Jr. W. L., 93
Gustavo, M.-R., 498
Guthrie, W. D., 549

**H**
Hagan, D. V., 93
Hagen, R. H., 380
Hagstrum, D. W., 369
Haldemann, R. H., 287
Hassage, R. L., 207, 309
Hatchett, J. H., 436
Haunerland, N. H., 457
Haverty, M. I., 1
Haymer, D. S., 601
Haynes, K. F., 118
He, M., 601
Heath, R. R., 182
Hegazi, E. M., 571
Henry, T. J., 287
Hilburn, D. J., 412
Hopper, K. R., 255
Horton, D. R., 612

**J**
Johnson, C. D., 165
Johnson, J. A., 79
Jones, R. L., 179
Jones, V. P., 488

**K**
Kaneshiro, K. Y., 608
Kaufman, M. G., 555
Kazmer, D. J., 332
Khan, Z. R., 316
Klein, J. A., 72
Knight, A. W., 201
Korman, A. K., 1
Krysan, J. L., 612

**L**
La Fage, J. P., 1
Landolt, P. J., 124, 628
Larsen, K. J., 498
Lenczewski, B., 124
Leong, K.L.H., 263
Lhaloui, S., 436
Li, J.-S., 97
Lieber, K. S., 72
Linit, M. J., 319
Linley, J. R., 61
Lockwood, J. A., 596
Lu, C-C, 294
Luck, R. F., 150
Lumbreras, C. J., 190

**M**
Martinez, A. J., 555
Mason, C. E., 179
Mason, L. J., 268
McCafferty, W. P., 343
McKeever, S., 93, 493, 522
McLain, D. K., 174
McLaughlin, J. R., 182
McLellan, K. A., 118
Mena, J., 190
Mendel, Z., 502
Michener, C. D., 583
Milliken, G. A., 369
Moring, J. B., 201, 207

**N**
Nault, L. R., 498
Neal, Jr., J. W., 287, 480
Nechols, J. R., 303
Nordin, G. L., 118
Novak, M. G., 549
Nuessly, G. S., 407
Nunamaker, R. A., 596

**O**
Oatman, E. R., 37
Obrycki, J. J., 549
Oliver, J. E., 480
Oswood, M. W., 239

**P**
Paine, T. D., 407
Paradise, C. J., 396
Pashley, D. P., 1, 268
Peck W. B., 52
Peckham, D. J., 170
Pinto, J. D., 37
Pirchner, F., 324
Platner, G. R., 37
Podoler, H., 502
Price, P. W., 248, 465
Proshold, F., 182

**R**
Rasnitsyn, A. P., 583
Reed, H. C., 628
Reitz, S. R., 111
Rice, M. E., 52
Ritter, K. S., 79
Robacker, D. C., 555
Rose, H. A., 575
Rugg, D., 575

**S**
Sappington, T. W., 453, 560
Saxena, R. C., 316
Scarborough, T. A., 158
Scriber, J. M., 380
Seely, J. A., 283
Shaaban, M. A., 571
Sharma, V. P., 531
Shelton, M. D., 488
Showers, W. B., 560
Siemens, D. H., 165
Spivak, M., 447
Stamp, N. E., 58, 396
Steck, G. J., 10
Stewart, K. W., 201, 207, 239, 309
Stouthamer, R., 37, 150

Stuart, M. K., 457
Subbarao, S. K., 531

T
Tanaka, S., 29, 87
Taylor, P. B., 429
Teal, P.E.A., 182
Thompson, M. M., 179
Tiebel, K. C., 508

V
Vasantha, K., 531
Vega, F. E., 498
Vinson, S. B., 87, 158
Vogt, E. A., 303

W
Wang, Q., 97
Whittier, T. S., 608
Wilson, M. R., 412
Woolson, E. A., 255

Y
Yin, X.-M., 97

Z
Zegers, G. P., 283
Zeng, W.-Y., 97
Zera, A. J., 508

## STATEMENT OF OWNERSHIP, MANAGEMENT, AND CIRCULATION

**1. Title of Publication:** Annals of the Entomological Society of America (00138746).

**2. Date of Filing:** September 1991.

**3. Frequency of Issue:** Bimonthly.

**4. Complete Mailing Address of Known Office of Publication:** 9301 Annapolis Road, Lanham, MD 20706.

**5. Complete Mailing Address of the Headquarters or General Business Offices of the Publishers:** 9301 Annapolis Road, Lanham, MD 20706.

**6. Full Names and Complete Mailing Addresses of Publishers, Editors, and Managing Editor:** *Publisher:* Entomological Society of America, 9301 Annapolis Road, Lanham, MD 20706.

*Editors:* Ralph Howard, National Grain Marketing Research Laboratory, Manhattan, KS 66502. Carl Schaefer, Department of Ecology and Evolutionary Biology, University of Connecticut, Storrs, CT 06268.

*Managing Editor:* Raymond L. Everngam, Jr., 9301 Annapolis Road, Lanham, MD 20706.

**7. Owner:** Entomological Society of America (Nonprofit), 9301 Annapolis Road, Lanham, MD 20706.

**8. Known Bondholders, Mortgages, and Other Security Holders Owning or Holding 1% or More of Total Amount of Bonds, Mortgages, or Other Securities:** None.

**9. Purpose:** The purpose, function, and nonprofit status of this organization and exempt status for federal income tax purposes have not changed during the preceding 12 months.

**10. Extent and Nature of Circulation:**

| | Avg. no. copies each issue during preceding 12 mo. | Actual no. copies of single issue published nearest to filing date |
|---|---|---|
| A. Total no. copies (net press run) | 2,600 | 2,600 |
| B. Paid circulation | | |
| 1. Sales through dealers and carriers, street vendors, and counter sales | 845 | 845 |
| 2. Mail subscription | 1,523 | 1,523 |
| C. Total paid circulation | 2,368 | 2,368 |
| D. Free distribution by mail, carrier, or other means samples, complimentary, and other free copies | 23 | 23 |
| E. Total distribution | 2,391 | 2,391 |
| F. Copies not distributed | | |
| 1. Office use, left over, unaccounted, spoiled after printing | 209 | 209 |
| G. Total | 2,600 | 2,600 |

# CUMULATIVE SUBJECT INDEX
## Annals of the Entomological Society of America
## Volume 84, 1991


**A**

*A. culicifacies*, paracentric inversions, 531
sibling species, 531
abundance, habitat, 309
Plecoptera, 309
Aconophorini, numerical taxonomy, 228
systematics, 228
actin, oriental fruit fly, 601
*Aedes*, electrophoresis, 217
mosquito systematics, 217
aggregation, *Polistes* spp., 628
*Agrotis ipsilon*, flight behavior, 560
migratory behavior, 560
*Alaskaperla*, Chloroperlidae, 239
*Allonemobius* spp., diapause, 29
hybridization, 29
*Anastrepha*, biochemical systematics, 10
cryptic species, 10
*Anastrepha ludens*, attractants, 555
*Staphylococcus aureus*, 555
antennae, Tetrigidae, 195
Apidae, *Bombus*, 583
Miocene, 583
*Apis mellifera*, genetic correlation, 324
selection indices, 324
*Apis* spp, dance language, 137
phylogeny, 137
Asiatic lace bug predator, biological control, 287
*Stephanitis spp.*, 287
Asilidae, burrow, 590
*Machimus*, 590
assortative mating, *Diapheromera veliei*, 283
fecundity, 283
attractants, *Anastrepha ludens*, 555
*Staphylococcus aureus*, 555
Auchenorrhyncha, Homoptera, 412
auditory responses, *Corethrella* spp., 493
life history, 493

**B**

backcrosses, *Stephanitis* spp., 480
*Bagous* spp., biological control, 420
*Potamogeton pectinatus*, 420
behavior, Paraglenea fortunei, 97
behavioral interactions, *Hydroperla crosbyi*, 207
*Bemisia tabaci*, development, 407
morphometrics, 407
Bermuda, Auchenorrhyncha, 412
Homoptera, 412
biochemical systematics, *Anastrepha*, 10
biological control, Asiatic lace bug predator, 287
*Bagous* spp., 420
diurnal behavior, 303
*Gryon pennsylvanicum*, 303
*Laelius pedatus*, 72
*Potamogeton pectinatus*, 420
*Stephanitis spp.*, 287
*Trogoderma variabile*, 72
burrowing cockroach, 575
biology, *Casinaria arjuna*, 429
*Hyposoter lymantriae*, 429
*Macropanesthia*, 575
*Bombus*, Apidae, 583
Bruchidae, insect-plant interactions, 165
life history, 165
*Bubas bubalas*, egg resorption, 190
ovarioles, 190
burrow, Asilidae, 590
burrowing cockroach, *Macropanesthia*, 575

**C**

*Cacopsylla pyricola*, feeding behavior, 612
oviposition, 612
Calliphoridae, Sarcophagidae, 447
*Casinaria arjuna*, biology, 429
*Hyposoter lymantriae*, 429
Ceratopogonini, mouthparts, 93
predaceous midges, 93
chemosystematics, speciation, 1
*Zootermopsis*, 1
cherry, *Rhagoletis indifferens*, 488
*Chloroperla*, *Alaskaperla*, 239
Chloroperlidae, 239
Chloroperlidae, *Alaskaperla*, 239
*Chloroperla*, 239
citrus, *Frankliniella bispinosa*, 272
cloning, actin, 601
oriental fruit fly, 601
*Cnaphalocrocis medinalis*, cultivar resistance, 316
feeding behavior, 316
*Colias eurytheme*, eye color, 453
genetics, 453
communication, drumming, 201
Plecoptera, 201
consumption, growth rate, 396
*Tenodera*, 396
*Corethrella* spp., auditory responses, 493
distribution, 522
immature morphology, 522
life history, 493
cryptic species, *Anastrepha*, 10
biochemical systematics, 10
cultivar resistance, *Cnaphalocrocis medinalis*, 316
feeding behavior, 316

**D**

*Dalbulus quinquenotatus*, mutualism, 498
*Tripsacum*, 498
*Danaus plexippus*, multivariate analysis, 263
winter habitat, 263
dance language, *Apis* s pp, 137
phylogeny, 137
*Dasyhelea*, ecology, 61
*Pistia stratiotes*, 61
degree-day, developmental threshold, 369
thermoperiod, 369
development, *Bemisia tabaci*, 407
developmental threshold, degree-day, 369
diapause, *Allonemobius* spp., 29
hybridization, 29
*Diapheromera veliei*, assortative mating, 283
*veliei*, fecundity, 283
diel periodicity, *Heliothis* spp., 182
sex attractants, 182
discriminant function analysis, behavioral interactions, 207
*Hydroperla crosbyi*, 207
*Disonycha pluriligata*, host plant relationships, 248
life history, 248
dispersal, mark-recapture, 255
*Microplitis croceipes*, 255
distribution, *Corethrella* spp., 522
diurnal behavior, *Gryon pennsylvanicum*, 303
drought, migration, 47
drumming, communication, 201
Plecoptera, 201

**E**

ecology, *Dasyhelea*, 61
population dynamics, 465
theory, 465
egg resorption, *Bubas bubalas*, 190
ovarioles, 190
*Elatophilus*, *Matsucoccus*, 502
*Pinus*, 502
electrophoresis, *Aedes*, 217
mosquito systematics, 217
spicebush swallowtail, 380
tiger swallowtail, 380
*Trichogramma*, 332
*Encarsia perniciosi*, heteronomous hyperparasitoid, 150
thelytoky, 150
Ephemeroptera, phylogenetic systematics, 343
systematic methodology, 343
*Eucelatoria bryani*, *Heliothis*, 111
mating behavior, 111
evolution, Mediterranean Fruit Fly, 608

sexual selection, 608
eye color, *Colias eurytheme*, 453
genetics, 453

F
fecundity, *Diapheromera veliei*, 283
feeding behavior, *Cacopsylla pyricola*, 612
*Cnaphalocrocis medinalis*, 316
feeding injury, citrus, 272
*Frankliniella bispinosa*, 272
female sex pheromones, behavior, 97
*Paraglenea fortunei*, 97
flight behavior, *Agrotis ipsilon*, 560
migratory behavior, 560
*Frankliniella bispinosa*, citrus, 272
feeding injury, 272
freezing, liquid cryogens, 596

G
genetic correlation, *Apis mellifera*, 324
genetics, *Colias eurytheme*, 453
growth rate, *Tenodera*, 396
*Gryon pennsylvanicum*, biological control, 303
diurnal behavior, 303

H
habitat, Plecoptera, 309
*Helicoverpa zea*, sensilla models, 361
X band radiation, 361
*Helicoverpa*, *Heliothis*, 457
immunological phylogenetic analysis, 457
*Heliothis zea*, *Microplitis demolitor*, 79
sterols, 79
*Heliothis*, *Eucelatoria bryani*, 111
*Helicoverpa*, 457
mating behavior, 111
*Heliothis* spp., diel periodicity, 182
sex attractants, 182
heritability, *Nezara viridula*, 174
stink bug, 174
heteronomous hyperparasitoid, *Encarsia perniciosi*, 150
thelytoky, 150
Homoptera, Auchenorrhyncha, 412
Bermuda, 412
host plant relationships, *Disonycha pluriligata*, 248
life history, 248
host specificity, *Mayetiola*, 436
hybridization, *Allonemobius* spp., 29
*Hydroperla crosbyi*, behavioral interactions, 207
discriminant function analysis, 207
*Hyphantria cunea*, pheromones, 118
reproductive isolation, 118
*Hyposoter lymantriae*, *Casinaria arjuna*, 429

I
immature morphology, *Corethrella* spp., 522
distribution, 522
immunological phylogenetic analysis, *Helicoverpa*, 457
*Heliothis*, 457
insect immunity, *Leiophron uniformis*, 444
*Lygus lineolaris*, 444
insect–plant interactions, Bruchidae, 165
intrinsic rate of increase, life tables, 517
IPM, cherry, 488
*Rhagoletis indifferens*, 488

L
*Laelius pedatus*, *Trogoderma variabile*, 72
larvae, *Papilio demoleus libanius*, 294
ultrastructure, 294
larval behavior, oviposition, 67
*Smicronyx* spp., 67
*Leiophron uniformis*, insect immunity, 444
*Lygus lineolaris*, 444
life history, Bruchidae, 165
*Corethrella* spp., 493
*Disonycha pluriligata*, 248
insect–plant interactions, 165
life tables, intrinsic rate of increase, 517
liquid cryogens, freezing, 596
*Melanoplus*, 596
*Lydella thompsoni*, parasitism, 179
rearing, 179
*Lygus lineolaris*, *Leiophron uniformis*, 444
*Lysiphlebus testaceipes*, *Solenopsis invicta*, 158

M
*Machimus*, Asilidae, 590
burrow, 590
*Macropanesthia*, biology, 575
burrowing cockroach, 575
*Manduca sexta*, relative consumption rates, 58
relative growth rates, 58
mark–recapture, *Microplitis croceipes*, 255
mating, aggregation, 628
*Eucelatoria bryani*, 111
*Monochamus carolinensis*, 319
*Polistes* spp., 628
*Trichoplusia ni*, 124
*Matsucoccus*, *Elatophilus*, 502
*Mayetiola*, host specificity, 436
taxonomy, 436
Mediterranean Fruit Fly, evolution, 608
sexual selection, 608
*Melanoplus*, freezing, 596
liquid cryogens, 596
Mexico, Odonata, 474
*Sympetrum*, 474
*Microplitis croceipes*, dispersal, 255
mark–recapture, 255
*Microplitis demolitor*, *Heliothis zea*, 79
*Microplitis rufiventris*, *Spodoptera littoralis*, 571
superparasitism, 571
migration, *Agrotis ipsilon*, 560
drought, 47
*Oncopeltus fasciatus*, 47
Miocene, Apidae, 583
*Bombus*, 583
*Monochamus carolinensis*, mating behavior, 319
oviposition, 319
morphometrics, *Bemisia tabaci*, 407
development, 407
mosquito systematics, *Aedes*, 217
mouthparts, antennae, 195
Ceratopogonini, 93
predaceous midges, 93
Tetrigidae, 195
multiple mating, *Pseudoplusia includens*, 268
multivariate analysis, *Danaus plexippus*, 263
winter habitat, 263
mutualism, *Dalbulus quinquenotatus*, 498

N
nesting behavior, *Perdita portalis*, 537
*Nezara viridula*, stink bug, 174
numerical taxonomy, Aconophorini, 228

O
Odonata, Mexico, 474
*Sympetrum*, 474
*Oncopeltus fasciatus*, drought, 47
migration, 47
oriental fruit fly, actin, 601
cloning, 601
orientation, Calliphoridae, 447
Sarcophagidae, 447
ovarioles, *Bubas bubalas*, 190
oviposition *Cacopsylla pyricola*, 612
feeding behavior, 612

mating behavior, 319
*Monochamus carolinensis*, 319
parasite, 52
*Smicronyx* spp., 67
spiders, 52
*Oxybelus sparideus*, parasites, 170
Sarcophagidae, 170

P
*Papilio demoleus libanius*, larvae, 294
ultrastructure, 294
paracentric inversions, *A. culicifacies*, 531
sibling species, 531
*Paraglenea fortunei*, behavior, 97
female sex pheromones, 97
parasites, oviposition, 52
spiders, 52
*Oxybelus sparideus*, 170
Sarcophagidae, 170
parasitism, *Lydella thompsoni*, 179
rearing, 179
parasitoid, polydnavirus, 87
symbiosis, 87
*Perdita portalis*, nesting behavior, 537
sociality, 537
pheromones, *Hyphantria cunea*, 118
photoperiod, wing polymorphism, 508
phylogenetic systematics, Ephemeroptera, 343
phylogeny, *Apis* spp, 137
*Pinus*, *Elatophilus*, 502
*Matsucoccus*, 502
*Pistia stratiotes*, *Dasyhelea*, 61
ecology, 61
Plecoptera, abundance, 309
drumming, 201
habitat, 309
*Polistes* spp., aggregation, 628
mating, 628
polydnavirus, parasitoid, 87
symbiosis, 87
population dynamics, ecology, 465
theory, 465
population genetics, electrophoresis, 332
*Trichogramma*, 332
*Potamogeton pectinatus*, *Bagous* spp., 420
predaceous midges, Ceratopogonini, 93
predation, *Lysiphlebus Testaceipes*, 158
*Solenopsis invicta*, 158
*Pseudoplusia includens*, multiple mating, 268
sperm competition, 268

R
rearing, *Lydella thompsoni*, 179
relative consumption rates, *Manduca sexta*, 58
relative growth rates, *Manduca sexta*, 58
relative consumption rates, 58
reproductive compatibility, *Trichogramma*, 37
reproductive isolation, *Hyphantria cunea*, 118
pheromones, 118
*Rhagoletis indifferens*, cherry, 488
IPM, 488
*Rhopalosiphum maidis*, stylet movements, 549
*Zea mays*, 549

S
Sarcophagidae, Calliphoridae, 447
orientation, 447
*Oxybelus sparideus*, 170
selection indices, *Apis mellifera*, 324
genetic correlation, 324
sensilla models, *Helicoverpa zea*, 361
sex attractants, *Heliothis* spp., 182
sexual selection, Mediterranean Fruit Fly, 608
sibling species, *A. culicifacies*, 531
*Smicronyx* spp., larval behavior, 67
oviposition, 67
sociality, nesting behavior, 537
*Perdita portalis*, 537
*Solenopsis invicta*, *Lysiphlebus testaceipes*, 158
predation, 158
speciation, *Zootermopsis*, 1
sperm competition, multiple mating, 268
*Pseudoplusia includens*, 268
spicebush swallowtail, tiger swallowtail, 380
spiders, parasite, 52
*Spodoptera littoralis*, *Microplitis lufiventris*, 571
*Staphylococcus aureus*, *Anastrepha ludens*, 555
*Stephanitis* spp., Asiatic lace bug predator, 287
backcrosses, 480
sterility, 480
sterility, backcrosses, 480
*Stephanitis* spp., 480
sterols, *Heliothis zea*, 79
*Microplitis demolitor*, 79
stink bug, heritability, 174
*Nezara viridula*, 174
stylet movements, *Rhopalosiphum maidis*, 549
*Zea mays*, 549
superparasitism, *Microplitis rufiventris*, 571
*Spodoptera littoralis*, 571
symbiosis, parasitoid, 87
*Sympetrum*, Odonata, 474
systematic methodology, Ephemeroptera, 343
phylogenetic systematics, 343
systematics, Aconophorini, 228
numerical taxonomy, 228

T
taxonomy, host specificity, 436
*Mayetiola*, 436
reproductive compatibility, 37
*Trichogramma*, 37
*Tenodera*, consumption, 396
growth rate, 396
Tetrigidae, antennae, 195
mouthparts, 195
thelytoky, *Encarsia perniciosi*, 150
theory, ecology, 465
thermoperiod, degree-day, 369
developmental threshold, 369
tiger swallowtail, electrophoresis, 380
spicebush swallowtail, 380
*Trichogramma*, electrophoresis, 332
population genetics, 332
reproductive compatibility, 37
taxonomy, 37
*Trichoplusia ni*, mating, 124
*Tripsacum*, *Dalbulus quinquenotatus*, 498
mutualism, 498
*Trogoderma variabile*, biological control, 72
*variabile*, *Laelius pedatus*, 72

U
ultrastructure, *Papilio demoleus libanius*, 294

W
waterstriders, photoperiod, 508
wing polymorphism, 508
wing polymorphism, photoperiod, 508
waterstriders, 508
winter habitat, *Danaus plexippus*, 263

X
X band radiation, *Helicoverpa zea*, 361
sensilla models, 361

Z
*Zea mays*, *Rhopalosiphum maidis*, 549
*Zootermopsis*, chemosystematics, 1
speciation, 1